


201 Red Oaks Way • Ridgeland, SC 29936

Telephone: 843.208.2433 • Fax: 843.208.2430

Website: www.ramfab.com


# **Multi-Cor Panel**

# **Product Data**



## **MULTI-COR PROFILE**







### **MULTI-COR PROFILE**



### NOTE:





(@ Intermediate Purlins)

### **Applications**

Exposed fastener wall/roof panel used on slopes down to 1:12. Tape sealant is required on seam (side-laps). Standard panel lengths up to 50'. Please inquire for longer lengths.

#### Substrates

Plywood or Purlins.

#### **Material**

Standard - 26 GA. ASTM A792 (50 ksi or 80 ksi steel)

AZ55 - Bare, AZ50 - Painted

- 24 GA. ASTM A792 (50 ksi steel) AZ55 - Bare

AZ50 - Painted

Optional - 22 GA. ASTM A792 (50 ksi steel) AZ55 - Bare

AZ50 - Painted

#### Manufacturing

Roll formed in factory. (Bossier plant only)

#### Finishes

Acrylic Coated Galvalume® Fluoropolymer (Kynar 500® PVDF resin-based) Siliconized Polyester and Polyester

#### Pan Conditions

Oil canning is inherent in all metal panels and is not cause for panel rejection.

## Testing \*

Uplift Testing: UL 580 Class 90 Fire Resistance: UL 790 Class A Impact Testing: UL 2218 Class 4

Florida Product Approval: FL 10680.1 (non-structural)

Texas Windstorm: RC-158

\*Testing and Approvals are product specific. Please inquire for details.\*

- 1/4-14 X 7/8" LAP TEK ZAC
Fastener (1'-8" O.C. Max.)

- 3/32" X 1" Roll Tape Sealant
(Required on 3:12
or less Slopes)

- 1/4-14 X 7/8" LAP TEK ZAC
Fastener (1'-8" O.C. Max.)

- 3/32" X 1" Roll Tape Sealant
(Required on 3:12
or less Slopes)

FOAM INSIDE/OUTSIDE CLOSURE